	MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code	PD-FRM-002	
		Request for Quotation (RFQ) (Goods and Services)	Revision No.	4
			Effectivity Date	January 8, 2021

REQUEST FOR QUOTATION (RFQ)

Date: March 3, 2022


PR No. 2021-10-182(07308603)

Sir/Madam:

Please quote your lowest price on the item/s listed below, and submit your quotation duly signed by you or your duly authorized representative not later than **3 days** subject to the Terms and Conditions provided at the last page of this RFQ.

Delivery period must be at least within **60 days** upon receipt of the Notice to Proceed or Purchase Order.

For any clarification, you may email us at bac@mmsu.edu.ph.


NATHANIEL R. ALIBUYOG
 BAC CHAIR


ITEM	QTY	Unit	ITEM DESCRIPTION	ABC/unit	UNIT PRICE
1	1	unit	Flowmeter Range: 0.3-19.9 FPS (0.1-6.1 MPS) Accuracy: 0.1 FPS Averaging: True digital running average. Updated once per second. Display: LCD, Glare and UV Protected Control: 4 button Datalogger: 30 time and date stamped data sets Features: Timer, Low battery warning, and End of data warning Sensor Type: Protected Turbo-Prop propeller with magnetic pickup. Weight: 2 lbs. (0.9 kg) (FP111), 3 lbs. (1.4 kg) (FP211), 2.8 lbs. (1.3 kg) (FP311) Expandable Length: 3.7 to 6 ft (1.1 to 1.8 m) (FP111); 5.5 to 15 ft (1.7 to 4.6 m) (FP211); 2.5 to 5.5 ft (0.76 to 1.7 m) (FP311) Materials: Probe: PVC and anodized aluminum with stainless steel water bearing Computer: ABS/Polycarbonate housing with polyester overlay Power: Internal Lithium Battery, Approx 5 year life, Non-Replaceable Operating Temperature: -4° to 158° F (-20° to 70° C) Carrying Case: Padded carrying case.	135,000.00	
2	3	unit	Handheld GPS	35,000.00	

Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.



MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code		PD-FRM-002
	Request for Quotation (RFQ) (Goods and Services)	Revision No.	4
		Effectivity Date	January 8, 2021

			Handheld with GPS/GLONASS, Wireless Connectivity and Digital Camera 8 megapixel autofocus camera with automatic geotagging Resolution at least 240 x 400 pixels Transflective color TFT display, IPX7 Interface: high speed micro USB and NMEA 0183 compatible High-sensitivity GPS and GLONASS receiver with quad helix antenna 3-axis compass with barometric altimeter Preloaded with topo maps and has ability to add maps and basemaps Waypoints capacity should be at least 10000 and tracks of 250 Include charger, battery, at least 16GB memory card, and bag		
3	1	unit	Branded single-beam echo sounder Dual -core 1.6 GHz, display resolution should be at least 1280x 1040, 16GB SSD storage, 3x USB2.0 or better, VGA port, working temperature: -20oC-50oC, working frequency: 200 kHz, Maximum transmitted power : 50W, Sounding range : 0.2 m to 600 m or better, Sounding accuracy: +/- 10 mm + 0.1% h at 1cm resolution; Draft adjusting range: 0.0 m to 15 m or better,; maximum sampling rate: 30Hz, No of channel: 14; Signal: GPS+Beacon; GPS Accuracy: 0.5 m or better. The package should include all accessories include the Hardcase of accessories, 1 set of surveying pole for echo sounder, 1 pc hard case for surveying pole.	900,000.00	
4	1	unit	Side-scan Sonar Depth rating: 200m Frequencies: 400/900 kHz or 600/1600 kHz Pulse type: CHIRP Data interface: VDSL Operating range: 150 m (400 kHz), 75 m (900 kHz), 120 m (600 kHz), 35 m (1600 kHz) Across tract resolution: 2.3 cm (400 kHz), 1.0 m (900 kHz), 1.5 cm (600 kHz), 0.60 m (1600 kHz) Along tract resolution: 80 cm @ 100m (400 kHz), 58 cm @ 100 m (600 kHz), 40 cm @ 50 m (400 kHz), 29 cm @ 50 cm (600 kHz), 24 cm @ 50 m (900 kHz), 20 cm @ 25 m (400 kHz), 14 cm @ 25 m (600 kHz), 12 cm @ 25 m (900 kHz), 9 cm @ 25 m (1600 kHz) Horizontal beam width: 0.46o (400 kHz), 0.28 o (900 kHz), 0.33o (600 kHz), 0.20o (1600 kHz) Vertical beam width: 50o Silde lobes: < 36 dB	1,500,000.00	

	MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code		PD-FRM-002
		Request for Quotation (RFQ) (Goods and Services)	Revision No.	4
			Effectivity Date	January 8, 2021

			Pressure sensor accuracy: 0.5% of depth when calibrated for 0 m Pressure sensor working depth: 0-200 m Pressure sensor tolerance: >200 m		
--	--	--	--	--	--

TOTAL ESTIMATED BUDGET: PhP2,640,000.00

REMARKS/NOTE:

After having carefully read and accepted your Terms and Conditions, I/we submit our quotation/s on the item/s at prices indicated above.


Business Name: _____
 Business Address: _____
 Printed Name of the Owner: _____
 TIN: _____
 PhilGEPS Registration Number: _____
 Business Permit: _____
 Omnibus Sworn Statement: _____
 Annual Income Tax Return: _____

 Signature over Printed Name

 Tel. No./Cellphone No./e-mail address

 Date

Canvassed by: _____

	MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code		PD-FRM-002
		Revision No.		4
	Request for Quotation (RFQ) (Goods and Services)	Effectivity Date		January 8, 2021

- TERMS AND CONDITIONS:**
1. Bidders shall provide correct and accurate information required in this form.
 2. Bidders may quote for any or all of the items.
 3. Bidders shall submit a copy of the following documents along with the Quotation:
 - a. Mayor's/Business Permit
 - b. Notarized Omnibus Sworn Statement (if ABC is more than P 50,000.00)
 - c. Income/Business Tax Return (if ABC is more than P 500,000.00)
 4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.
 5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
 6. Award of contract shall be made to the lowest quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
 7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
 8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
 9. The University has the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
 10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay.

Received _____
 Received _____
 Received _____