



<b>MARIANO MARCOS STATE UNIVERSITY</b>		Document Code	PD-FRM-002	
Procurement Division		Revision No.	4	Page 1 of 10
Request for Quotation (RFQ) (Goods and Services)		Effectivity Date	January 8, 2021	

**REQUEST FOR QUOTATION (RFQ)**

Date: April 19, 2022  
PR No. 2022-01-029(01101101)

Sir/Madam:

Please quote your lowest price on the item/s listed below, and submit your quotation duly signed by you or your duly authorized representative not later than **3 days** subject to the Terms and Conditions provided at the last page of this RFQ.

Delivery period must be at least within **45 days** upon receipt of the Notice to Proceed or Purchase Order.

For any clarification, you may email us at [bac@mmsu.edu.ph](mailto:bac@mmsu.edu.ph).

**NATHANIEL R. ALIBUYOG**  
BAC Chair

ITEM	Code #	QTY	Unit	ITEM DESCRIPTION	ABC/unit	UNIT PRICE
1	ITP-078-010	8	unit	EXTERNAL HDD, 3.5" 3TB USB 2.0 with accessories as packaged	6,399.00	
2	ITP-078-106	8	roll	HDMI CABLE, 5 meters	500.00	
3	ITP-078-114	3	unit	PRINTER, 4-in-1: Print, Copy, Scan, and Borderless Photo Printing, w/ ADF, Eco Tank	14,500.00	
4	ITP-078-016	49	set	PRINTER ALL-IN-ONE CONTINUOUS INK TANK SYSTEM, On-demand ink jet, 180 nozzles Black, 59 nozzles each color (Cyan, Magenta, Yellow), 5760 x 1440 dpi (with Variable-Sized Droplet Technology), Approx. 33 ppm / 15 ppm (Bk/Cl), One Touch Scan/Copy, with accessories as packaged	13,000.00	
5	ITP-078-020	2	set	PRINTER INKJET ALL-IN-ONE, Print, Copy, Scan (Print Speed black draft: up to 20ppm; color: up to 16ppm; Monthly Duty cycle: up to 1000 pages) Ink Advantage with accessories as packaged	13,000.00	
6	ITP-078-028	2	piece	SOFTWARE, MS Office Home and Student 2019	6,000.00	
7	ITP-078-044	1	unit	UPS, 625VA/325W, 3 universal outlets	4,000.00	

*Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.*



**MARIANO MARCOS STATE UNIVERSITY**  
Procurement Division  
Request for Quotation (RFQ)  
(Goods and Services)

Document Code PD-FRM-002  
Revision No. 4 Page 2 of 10  
Effectivity Date January 8, 2021

8	ITP-078-034	9	unit	UPS ABOVE 400W, 600Watts / 1100VA UPS With accessories as packaged	12,000.00	
9	ITP-078-051A	20	piece	VGA TO HDMI ADAPTER, standard size	825.00	
10	ITP-078-046	3	unit	WEB CAMERA, 16 MP, with digital microphone, 1080P Full-Hd Webcam	2,875.00	
11	ICT-176-003	3	unit	3 IN 1 LIGHTNING OTG USB FLASH DRIVE, 32GB, for iPhone/iPad/iOS/Android/PC USB Memory Stick, 32GB, Lightweight, enjoy durable and superior protection with the premium metal + plastic design, small enough that takes no room in your bag With Built-in Storage, It Can Storage Image & Video Between i-Devices, Android Series and Mac/PC Easily Transfer and View Documents, Photos and Videos Between iPhone, iPad, PCs and Mac Computers Smoothly and Fast with App from App Store Compatible with All USB Based Computers, iPhone & iPad Series and Android Series	3,000.00	
12	ICT-176-076	1	unit	AUTO-VOLTAGE REGULATOR, 2250W Input Voltage: 140 to 250V/ Input Frequency: 60Hz/ Output Voltage: 110V 220V+/-10%/ Output Frequency: 60Hz/ Output Power: 2000VA	10,000.00	
13	ICT-176-128	1	unit	AVR, 500 Watts, 3 220V sockets, Power on Delay of 3-5mins for protection from sudden electric surges, bypass feature to override the power on delay, relay type control system, fuse for overload protection	2,750.00	
14	ICT-176-141	20	piece	CARD READER/WRITER, OTG/USB	150.00	
15	ICT-176-168	2	unit	COMPUTER RAM, DDR3-1866Mhz or PC3- 14900, 16gb (2x8 Dual channel), reputable brands only	5,850.00	
16	ITP-078-003	5	set	CONDENSER MICROPHONE, Data Transmission: USB-C Frequency Response: 20Hz-20KHz/ THD:<0.5% 1KHz/ Headset Output Power: 35mW, 32I@ (1KHz+N=1%) Sample Rate: 48KHz/ 16bit/ Wireless Connection: Bluetooth 5.0/ Battery Type: Li-Polymer Battery Capacity: 1200mAh/ Charge Parameter: 5V/ 1A/ Charge Time: Appr. 3h/ Battery Life: Appr. 8h (Highest keypads	8,910.00	



**MARIANO MARCOS STATE UNIVERSITY**  
**Procurement Division**  
**Request for Quotation (RFQ)**  
**(Goods and Services)**

Document Code

PD-FRM-002

Revision No.

4

Page 3 of 10

Effectivity Date

January 8, 2021

17	ITP-078-080	2	unit	brightness) Dimension: L24*W14*H4.2CM (button included) Accessory List: Podcast Console x 1, User Manual x 1, USB-A to USB-C Cable x 1, 3.5mm TRRS Audio Cable x 2, CE-XLR Cable x 1, Condenser Microphone x 1, Earphone x 1, Tripod x 1, Windscreen Cap x 1.	3,000.00	
18	ICT-176-167	2	piece	CRIMPING TOOL, Functions for 8P/RJ-45 and 6P/RJ-12, RJ-11 Built-in cutter and stripper Ratchet mechanism to keep tool closed when not in use 1-year limited warranty	10,400.00	
19	ICT-176-113	3	unit	DESKTOP MONITOR, Size: 24", Ratio: 16:9, Resolution: FHD (1920x1080), Refresh rate: 60/75hz, NTSC Color Gamut 72% or 100% sRGB	2,750.00	
20	ICT-176-142	2	unit	DESKTOP SPEAKER, frequency response: 130Hz-18Khz FIBER OPTIC PATCH PANEL BOX SC, Specification: 12 Port Fiber Patch Panel, 1U	2,600.00	
21	ITP-078-078	6	roll	HDMI CABLE, 10 meters per roll	1,000.00	
22	ICT-176-024	4	set	HIGH-DEFINITION WEBCAM WITH BUILT-IN MICROPHONE, Specifications: Max Resolution: 1080P/30 FPS - 720/60 FPS Focus Type: autofocus lens technology: Full HD glass Built-in mic: stereo FoV: 78 degrees Includes the following accessories' Tripod	9,500.00	
23	ICT-176-154	3	piece	MALE USB 3.0 A TO MICRO B CABLE CONNECTOR, for external (high speed)	250.00	
24	ICT-176-036	20	unit	MICRO SD CARD, 128GB	910.00	
25	ICT-176-114	9	box	MOUSEPAD, 24cm x 20cm, plain	170.00	
26	ICT-176-038	5	unit	MULTIMEDIA SPEAKER, portable USB type (for laptop and pc)	500.00	
27	ITP-078-081	1	set	NETWORK CABLE TESTER, Test Pin Configuration: 10/100/1000 Base-T, 10 Base-2 (Coax) RJ-11/RJ-12/RJ-45EIA/TIA-356A/568A/568B Token ring cables Compatible Cables: Cat 7, 6, 6e, 6a, 5, 5e, 4, 3, 3e Coax cable USB and 1394 cable (with TC-NTUF) Transmitter Unit Interface: 2 x test ports Manual test	3,500.00	



<b>MARIANO MARCOS STATE UNIVERSITY</b>		Document Code	PD-FRM-002	
<b>Procurement Division</b>		Revision No.	4	Page 4 of 10
<b>Request for Quotation (RFQ)</b>		Effectivity Date	January 8, 2021	
<b>(Goods and Services)</b>				

				button Auto test button Power/ tone switch LED indicators Receiver Unit Interface: Test port LED indicators Tone Frequency 600 - 800 Hz Special Features: Test grounding of shielded (screened) cable Identifies proper, severed, short circuit, and cross connected pins Build-in tone generator for tracing cable with standard Tone Probe (TC-TP1) Test USB and IEEE 1394 cables with optional adapters (TC-NTUF not included) Power Source: 9 V DC battery 1 Year warranty		
28	ICT-176-140	3	unit	PORTABLE EXTERNAL SSD, 2TB	4,500.00	
29	ICT-176-156	1	unit	PREPAID MODEM, "for Globe Modem: Globe at home Prepaid Wi-Fi LTE-Advanced Supported Frequency: B1, B3, B28B40, B41 LTE Category: Cat 7 Carrier Aggregation: Yes Wi-Fi Support: Dual Band 2.4 GHz & 5 GHz"	2,000.00	
30	ITP-078-082	1	unit	PRINTER, High-speed auto-duplex printing Precision Core TM Printhead Technology Superior Productivity: automatic duplex printing of up to 15ipm for A4, reducing paper wastage. Print Speeds of up to 34ppm Print Method: Precision Core Printhead Minimum Ink Droplet Volume: 3.8 pl Printer Language: ESC/P-R Maximum Monthly Duty Cycle: Up to 45,000 pages *2 Print Direction: Bi-directional printing, Uni-directional printing Nozzle Configuration: 400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow) Maximum Resolution: 4800 x 1200 dpi (with Variable-Sized Droplet Technology) Printer Control Language Emulations: PCL5c, PCL6, Compatible with PostScript Level 3, PDF (ver1.7) Automatic 2-sided Printing: Yes (up to A4) USB, Ethernet, Wi-Fi, Wi-Fi Direct and NFC Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct, NFC Network Protocol: TCP/IP v4, TCP/IP v6, LPD, IPP, PORT9100, WSD Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD Supported	10,000.00	

Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.



<b>MARIANO MARCOS STATE UNIVERSITY</b>		Document Code	PD-FRM-002	
Procurement Division		Revision No.	4	Page 5 of 10
Request for Quotation (RFQ) (Goods and Services)		Effectivity Date	January 8, 2021	

				OS: Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later		
31	ICT-176-046	3	set	PRINTER ALL-IN-ONE CONTINUOUS INK TANK SYSTEM, Technical Specifications Print Method on demand ink jet(piezolectric)Nozzle Configuration- 180 nozzles Black,59 nozzles each colour Print direction - Bi-directional printing, Uni-directional printing Max. Resolution - 5760 x 1440 dpi (w/ Variable-Sized Droplet Technology) Print Speed - Black 33ppm, Colour 15ppmCopy Function Scan Function Wi-Fi, Wi-Fi Direct and Ethernet, Fax with ADF	13,000.00	
32	ITP-078-079	1	set	PUNCH DOWN TOOL, With 110 and Krone blades Interchangeable and reversible blades Safe storage for spare bladeTwist and Lock style holder 1-year limited warranty	2,500.00	
33	ICT-176-129	1	unit	RACK CABINET, wall mounted, durable, clear swing door lockable front panel with key. Removable side back panels, 2 blower fans, PDU, with cage nuts and bolts, mounting bracket, outside dimensions height: 330mm x width: 600mm x length: 450mm	8,800.00	
34	ICT-176-055	15	unit	RASPBERRY PI 4 DATA CABLE, Micro HDMI to Standard HDMI (1 meter)	316.00	
35	ICT-176-059	13	unit	ROUTER, WIFI, 2.4 to 5GHz, DIR-X1560	5,000.00	
36	ICT-176-112	1	unit	ROUTER, wireless AC1200 dual band wifi 867mbps at 5GHz and 300mbps at 2.4ghz band	5,000.00	
37	ICT-176-130	1	unit	ROUTER, WIRELESS, CPU Frequency: 720 Mhz, RAM: 128MB, Storage size: 16MB, FLASH, MTBF: 200,000 hours at 25C, Wireless capabilities: dual band (2.4Ghz 802a/n/ac) Ports: 5 x 10/100/1000MBps, 1 x SFP	14,999.00	
38	ICT-176-139	2	unit	ROUTER, Wifi 6 Compatible	10,000.00	
39	ICT-176-146	20	unit	ROUTER, Wireless MU-MIMO Gigabit	2,500.00	
40	ICT-176-147	10	unit	SIGNAL PROCESSING TRAINER KIT, Digital	5,000.00	



MARILANO MARCOS STATE UNIVERSITY  
Procurement Division  
Request for Quotation (RFQ)  
(Goods and Services)

Document Code PD-FRM-002  
Revision No. 4 Page 6 of 10  
Effectivity Date January 8, 2021

41	ICT-176-143	5	unit	SINGLE CORE 2 CORE FIBER OPTIC DROP CABLE FTTH INTERNET DROP CABLE, Specification: 2 Meters SC-SC Single core Fiber Optic Cable	300.00	
42	ICT-176-165	2	set	STREAM HD WEBCAM, Max Resolution: 1080p/30 fps - 720p/ 60 fps, Camera mega pixel: 3, Focus type: Autofocus, Built-in mic: Stereo, Mic range: Up to 1m, Diagonal field of view (dFoV): 78°/90°, Tripod-ready universal mounting clip, includes: Tripod, camera, cable	7,800.00	
43	ICT-176-163	4	unit	SWITCH HUB, "16-Port 10/100Mbps Desktop Switch, HARDWARE FEATURES Interface 16 Å— 10/100Mbps RJ45 Ports Auto negotiation / Auto MDI/MIDX Fan Quantity/Fanless Physical Security Lock No External Power Supply External Power Adapter 100VAC ~ 240VAC(Output: 9VDC / 0.6A)Mac Address Table 2KDimensions ( W x D x H ) 7.9 Å— 5.6 Å— 1.6 in.(200 Å— 142 Å— 40 mm)Max Power Consumption 2WMax Heat Dissipation 7.0 BTU/h SOFTWARE FEATURES Transfer Method Store and Forward Advanced Functions Green Technology, saving power up to 80€2.3x Flow Control, Back Pressure OTHERS Certification FCC, RoHS Package Contents 16-Port 10/10Mbps Desktop Switch TL-SF1016DPower Adapter User Guide Environment Operating Temperature: 0Å,f~40Å,f (32Å,,%~104Å,,%o);Storage Temperature: -40Å,,f~70Å,,f (-40Å,,%~158Å,,%o);Operating Humidity: 40Å,,%~90% non-condensing; Storage Humidity: 5%~90% non-condensing	10,000.00	
44	ICT-176-065	6	piece	UPS, with built-in AVR, 1000Va, Desktop power surge protection, overload protection, computer generator for emergency power interruption, Enhance AVR PC protector, with Built in Battery providing stable and reliable power supply for PCs and some electronics	7,500.00	
45	ICT-176-131	5	unit	UPS, Power Capacity: 360 W / 650 VA, 4 battery backups with surge protection outlets for multidevice power protection Automatic Voltage Regulation (AVR),	3,850.00	



**MARIANO MARCOS STATE UNIVERSITY**  
**Procurement Division**  
**Request for Quotation (RFQ)**  
**(Goods and Services)**

Document Code	PD-FRM-002	
Revision No.	4	Page 7 of 10
Effectivity Date	January 8, 2021	

46	ICT-176-164	5	box	<p>Circuit Breaker Reset, Automatic Diagnostic Testing, Generator Compatible</p> <p>UTP CABLE, "(0.5mm Orange) CCA305M UTP Cable CAT5E CCA4Pairs 24AWGFiller: PE CROSS Jacket: PVC Jacket Thickness: 0.2mmStretching Resistance: 0.92-0.95mmImpedance: (max)250NDC Resistance :100Ω, ±15% at 1~100MHzWorking Capacitance: 10000pF@.kmlInner Conductor Thickness:0.5mm CCA Inside Material: CCA (Copper Clad Aluminum) Outside Material: PVC Jacke thHigh Quality</p>	10,000.00	
47	ITP-078-077	1	box	<p>UTP CAT5E, with anti-crosstalk divider, braid shield, foil shield, 1000ft(304.8m) per box</p>	15,000.00	
48	ITP-078-085	6	unit	<p>WI-FI ALL-IN-ONE INK TANK PRINTER WITH ADF, Compact integrated tank design High yield ink bottles Spill-free, error-free refilling Print, scan, copy, fax with ADF Wi-Fi, Wi-Fi Direct Borderless printing up to 4R Photo Default - 10 x 15 cm / 4 x 6 ".Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) *1Draft, A4 (Black / Colour):Up to 33 ppm / 15 ppm *1ISO 24734, A4 Simplex (Black / Colour):Up to 10 ipm / 5.0 ipm *1First Page Out Time from Ready Mode (Black / Colour):Approx. 10 sec / 16 sec *1Copy Quality:Draft / Standard / Best Quality Maximum Copies from Standalone:99 copies Reduction / Enlargement:25 % 400 %, Auto Fit Function Maximum Copy Resolution:600 x 600 dpiMaximum Copy Size:LegalISO 29183, A4 Simplex Flatbed (Black / Colour):Up to 7.7 ipm / 3.8 ipm</p>	13,000.00	
49	ITP-078-097	3	unit	<p>WI-FI DUPLEX ALL-IN-ONE INK TANK PRINTER, Printer Type: Print, Scan, Copy Print Method: On-demand Inkjet (piezoelectric)Minimum Ink Droplet Volume:3 pPrinter Language:ESC / P- RPrint Direction : Bi-directional printing, Uni-directional printing Nozzle Configuration:180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow)Maximum Resolution:5760 x 1440 dpi (with Variable-Sized Droplet</p>	13,634.50	



<b>MARIANO MARCOS STATE UNIVERSITY</b>		Document Code	PD-FRM-002
Procurement Division		Revision No.	4
Request for Quotation (RFQ) (Goods and Services)		Effectivity Date	Page 8 of 10 January 8, 2021

50	ICT-176-166	1	set	<p>Technology/Automatic 2-sided Printing: Yes (up to A4) Photo Default - 10 x 15 cm / 4 x 6 " *2:Approx. 69 sec per photo (Border) *1Approx. 92 sec per photo (Borderless) *1Draft, A4 (Black / Colour):Up to 33 ppm / 15 ppm *1ISO 24734, A4 Simplex (Black / Colour):Up to 10.5 ipm / 5.0 ipm *1ISO 24734, A4 Duplex (Black / Colour):Up to 6.0 ipm / 4.0 ipm *1 Compact integrated tank design Print speeds up to 10.5ipm for black and 5.0ipm for colour Auto-duplex printing Wi-Fi &amp; Wi-Fi Direct Borderless Printing up to A4 size Spill-free ink refilling Warranty of 2 years or 30,000 pages, whichever comes first</p> <p>WIRELESS CLIP MICROPHONE SET, 2.4GHz, Line input jack on transmitter, Headphone jack on receiver for real-time monitoring, Range: Up to 60m (197ft), Powered by two AAA batteries, Includes: 2XTransmitter, 1xdual-channel Receiver, 2XOmnidirectional lavalier microphones, 1x zipper bag, 1x standard camera shoe mount and clips</p>	7,150.00	
51	ITP-078-098	9	unit	<p>WRITING/DRAWING TABLET, 10x6 Inch 12 Express Keys 8192 Levels Battery-Free Stylus Nibs/Pen Clip Support PC/Laptop Specifications: Color: Black Technology: Battery-Free Electromagnetic Resonance Press Keys: 12 Express Press + 10 Customized Soft Keys Active Area: 10 * 6 Inch Pressure Level: 8192 Levels Resolution: 5080 LPI Report Rate: 233PPSAccuracy: <math>\hat{A}\pm 0.5</math>mmHeight Sensing: 10mmTilt Range: <math>\hat{A}\pm 60^\circ</math>Working Current: &lt;60mAOperating System: Windows XP/Vista/7/8/10(32bit/64bit), Mac OS X10.7-10.13, Android 5.0 and above Working Temperature: -5-40<math>\hat{A}</math>,Storage Temperature: -20-60<math>\hat{A}</math>,Item Size: 36 * 24 * 1.1cm/ 14.2 * 9.4 * 0.4ozItem Weight: 670g/ 23.3oz</p>	10,000.00	

TOTAL ESTIMATED BUDGET : PhP1,790,489.50

Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.





<b>MARIANO MARCOS STATE UNIVERSITY</b>		Document Code	PD-FRM-002
Procurement Division		Revision No.	4 Page 9 of 10
Request for Quotation (RFQ) (Goods and Services)		Effectivity Date	January 8, 2021

**REMARKS/NOTE:**

---

After having carefully read and accepted your Terms and Conditions, I/we submit our quotation/s on the item/s at prices indicated above.

Business Name: \_\_\_\_\_

Business Address: \_\_\_\_\_

Printed Name of the Owner: \_\_\_\_\_

TIN: \_\_\_\_\_

PhilGEPS Registration Number: \_\_\_\_\_

Business Permit: \_\_\_\_\_

Omnibus Sworn Statement: \_\_\_\_\_

Annual Income Tax Return: \_\_\_\_\_

Signature over Printed Name \_\_\_\_\_

Tel. No./Cellphone No./e-mail address \_\_\_\_\_

Date \_\_\_\_\_

Canvassed by: \_\_\_\_\_



MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code	PD-FRM-002
Request for Quotation (RFQ) (Goods and Services)	Revision No.	4
	Effectivity Date	January 8, 2021

**TERMS AND CONDITIONS:**

1. Bidders shall provide correct and accurate information required in this form.
2. Bidders may quote for any or all of the items.
3. Bidders shall submit a copy of the following documents along with the Quotation:
  - a. Mayor's/Business Permit
  - b. Notarized Omnibus Sworn Statement (if ABC is more than P 50,000.00)
  - c. Income/Business Tax Return (if ABC is more than P 500,000.00)
4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
6. Award of contract shall be made to the lowest quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
9. The University has the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay.

Received \_\_\_\_\_  
Received \_\_\_\_\_  
Received \_\_\_\_\_