

MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002		
Procurement Division				
Request for Quotation (RFQ)	Revision No.	4	Page 1 of 10	
(Goods and Services)	Effectivity Date	January 8, 2021		

REQUEST FOR QUOTATION (RFQ)

Date: September 7, 2022

PR No. 2022-01-029(01101101)

Sir/Madam:

Please quote your lowest price on the item/s listed below, and submit your quotation duly signed by you or your duly authorized representative not later than **3 days** subject to the Terms and Conditions provided at the last page of this RFQ.

Delivery period must be at least within 45 days upon receipt of the Notice to Proceed or Purchase Order.

For any clarification, you may email us at bac@mmsu.edu.ph.



ITEM	Code #	QTY	Unit	ITEM DESCRIPTION	ABC/unit	UNIT PRICE
1	ITP-078-	8	unit	EXTERNAL HDD, 3.5" 3TB USB 2.0 with		
	010			accessories as packaged	6,399.00	
2	ITP-078-	8	roll	HDMI CABLE, 5 meters		
	106				500.00	
3	ITP-078-	3	unit	PRINTER, 4-in-1: Print, Copy, Scan, and		
	114			Borderless Photo Printing, w/ ADF, Eco	14,500.00	
				Tank		
4	ITP-078-	49	set	PRINTER ALL-IN-ONE CONTINUOUS INK		
	016			TANK SYSTEM, On-demand ink jet, 180	13,000.00	
				nozzles Black, 59 nozzles each color		
				(Cyan, Magenta, Yellow), 5760 x 1440 dpi		
				(with Variable-Sized Droplet Technology),		
				Approx. 33 ppm / 15 ppm (Bk/Cl), One		
				Touch Scan/Copy, with accessories as packaged		
5	ITP-078-	2	set	PRINTER INKJET ALL-IN-ONE, Print, Copy,		
	020			Scan (Print Speed black draft: up to	13,000.00	
				20ppm; color: up to 16ppm; Monthly		
				Duty cycle: up to 1000 pages) Ink		
				Advantage with accessories as packaged		
6	ITP-078-	2	piece	SOFTWARE, MS Office Home and Student		
	028			2019	6,000.00	
7	ITP-078-	1	unit	UPS, 625VA/325W, 3 universal outlets		
	044				4,000.00	



MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002	
Procurement Division			
Request for Quotation (RFQ)	Revision No.	4	Page 2 of 10
(Goods and Services)	Effectivity Date	January	8, 2021

8	ITP-078-	9	unit	UPS ABOVE 400W, 600Watts / 1100VA	
	034			UPS With accessories as packaged	12,000.00
9	ITP-078-	20	piece	VGA TO HDMI ADAPTER, standard size	
	051A				825.00
10	ITP-078-	3	unit	WEB CAMERA, 16 MP, with digital	
	046			microphone, 1080P Full-Hd Webcam	2,875.00
11	ICT-176-	3	unit	3 IN 1 LIGHTNING OTG USB FLASH DRIVE,	
	003			32GB, for iPhone/iPad/iOS/Android/PC	3,000.00
				USB Memory Stick, 32GB, Lightweight,	
				enjoy durable and superior protection	
				with the premium metal + plastic design,	
				small enough that takes no room in your	
				bag With Built-in Storage, It Can Storage	
				Image & Video Between i-Devices,	
				Android Series and Mac/PC Easily Transfer and View Documents, Photos	
				and Videos Between iPhone, iPad, PCs	
				and Mac Computers Smoothly and Fast	
				with App from App Store Compatible	
				with All USB Based Computers, iPhone &	
				iPad Series and Android Series	
12	ICT-176-	1	unit	AUTO-VOLTAGE REGULATOR, 2250W	
	076			Input Voltage: 140 to 250VInput	10,000.00
				Frequency: 60HzOutput Voltage: 110V	
				220v+/-10%Output Frequency:	
				60HzOutput Power: 2000VA	
13	ICT-176-	1	unit	AVR, 500 Watts, 3 220V sockets, Power	
	128			on Delay of 3-5mins for protection from	2,750.00
				sudden electric surges, bypass feature to	
				override the power on delay, relay type	
				control system, fuse for overload	
1.4	ICT-176-	20	nioso	protection OTC/USB	
14	141	20	piece	CARD READER/WRITER, OTG/USB	150.00
15	ICT-176-	2	unit	COMPUTER RAM, DDR3-1866Mhz or PC3-	130.00
15	168		unit	14900, 16gb (2x8 Dual channel),	5,850.00
	100			reputable brands only	3,030.00
16	ITP-078-	5	set	CONDENSER MICROPHONE, Data	
	003			Transmission: USB-C Frequency	8,910.00
				Response: 20Hz-20kHzTHD: THD<0.5%	,
				1kHzHeadset Output Power: 35MW,	
				32Ω (1KHD+N=1%) Sample Rate:	
				48kHz/16bitWireless Connection:	
				Bluetooth 5.0Battery Type: Li-Polymer	
				Battery Capacity: 1200mAhCharge	
				Parameter: 5V/1ACharge Time: Appr.	
			<u> </u>	3hBattery Life: Appr. 8h (Highest keypads	



MARIANO MARCOS STATE UNIVERSITY Procurement Division Request for Quotation (RFQ) (Goods and Services) Document Code PD-FRM-002 Revision No. 4 Page 3 of 10 Effectivity Date January 8, 2021

	i i		ı	1	
				brightness) Dimension:	
				L24*W14*H4.2CM (button included)	
				Accessory List: Podcast Console x 1, User	
				Manual x 1,USB-A to USB-C Cable x	
				1,3.5mm TRRS Audio Cable x 2,XLR	
				Cable x 1, Condenser Microphone x	
				1,Earphone x 1,Tripod x 1,Windscreen	
				Cap x 1.	
17	ITP-078-	2	unit	CRIMPING TOOL, Functions for 8P/RJ-45	
	080	_	G	and 6P/RJ-12, RJ-11Built-in cutter and	3,000.00
	000			stripper Ratchet mechanism to keep tool	3,000.00
				closed when not in use1-year limited	
				warranty	
18	ICT-176-	2	piece	DESKTOP MONITOR, Size: 24", Ratio:	
10	167	2	piece	16:9, Resolution: FHD (1920x1080),	10 400 00
	167				10,400.00
				Refresh rate: 60/75hz, NTSC Color Gamut	
				72% or 100% sRGB	
19	ICT-176-	3	unit	DESKTOP SPEAKER, frequency response:	2.750.00
	113			130Hz-18Khz	2,750.00
20	ICT-176-	2	unit	FIBER OPTIC PATCH PANEL BOX SC,	
	142			Specification: 12 Port Fiber Patch Panel,	2,600.00
				1U	
21	ITP-078-	6	roll	HDMI CABLE, 10 meters per roll	
	078				1,000.00
22	ICT-176-	4	set	HIGH-DEFINITION WEBCAM WITH BUILT-	
	024			IN MICROPHONE, Specifications: Max	9,500.00
				Resolution: 1080P/30 FPS - 720/60 FPS	
				Focus Type: autofocus Lens technology:	
				Full HD glass Built-in mic: stereo FoV: 78	
				degrees Includes the following	
				accessories' Tripod	
23	ICT-176-	3	piece	MALE USB 3.0 A TO MICRO B CABLE	
	154		i i	CONNECTOR, for external (high speed)	250.00
24	ICT-176-	20	unit	MICRO SD CARD, 128GB	
	036	_•			910.00
25	ICT-176-	9	box	MOUSEPAD, 24cm x 20cm, plain	
23	114			302. 7.3, 2 76.11 × 206.11, plant	170.00
26	ICT-176-	5	unit	MULTIMEDIA SPEAKER, portable USB	_, 0.00
	038	,	3.110	type (for laptop and pc)	500.00
27	ITP-078-	1	set	NETWORK CABLE TESTER, Test Pin	300.00
	081	_	361	Configuration:10/100/1000 Base-T, 10	3,500.00
	001			Base-2 (Coax)RJ-11/RJ-12/RJ-45EIA/TIA-	3,300.00
				356A/568A/568BToken ring cables	
				Compatible Cables: Cat 7, 6, 6e, 6a, 5, 5e,	
				4, 3, 3eCoax cable USB and 1394 cable	
				(with TC-NTUF)Transmitter Unit	
				Interface:2 x test ports Manual test	



MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002	
Procurement Division			
Request for Quotation (RFQ)	Revision No.	4	Page 4 of 10
(Goods and Services)	Effectivity Date	January	8, 2021

28	ICT-176-	3	unit	button Auto test button Power/tone switch LED indicators Receiver Unit Interface: Test port LED indicators Tone Frequency600 - 800 Hz Special Features: Test grounding of shielded (screened) cable Identifies proper, severed, short circuit, and cross connected pins Build-in tone generator for tracing cable with standard Tone Probe (TC-TP1)Test USB and IEEE 1394 cables with optional adapters (TC-NTUF not included)Power Source:9 V DC battery1 Year warranty		
20	140)	unit	I ONTABLE LATENNAL 330, 216	4,500.00	
29	ICT-176- 156	1	unit	PREPAID MODEM, "for Globe Modem: Globe at home Prepaid Wi-fi LTE- Advanced Supported Frequency: B1,B3,B28B40,B41LTE Category: Cat 7Carrier Aggregation: Yes W-fi Support: Dual Band 2.4 GHz & 5 GHz"	2,000.00	
30	ITP-078- 082	1	unit	PRINTER, High-speed auto-duplex printing Precision Core TM Printhead Technology Superior Productivity: automatic duplex printing of up to 15ipm for A4, reducing paper wastage. Print Speeds of up to 34ppmPrint Method: Precision Core Printhead Minimum Ink Droplet Volume: 3.8 pl Printer Language: ESC/P-R Maximum Monthly Duty Cycle: Up to 45,000 pages *2Print Direction: Bidirectional printing, Uni-directional printing Nozzle Configuration: 400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)Maximum Resolution: 4800 x 1200 dpi (with Variable-Sized Droplet Technology)Printer Control Language Emulations: PCL5c, PCL6, Compatible with PostScript Level 3, PDF (ver1.7)Automatic 2-sided Printing: Yes (up to A4)USB, Ethernet, Wi-Fi, Wi-Fi Direct and NFC Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct, NFC Network Protocol: TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD Supported	10,000.00	



MARIANO MARCOS STATE UNIVERSITY Procurement Division Request for Quotation (RFQ) (Goods and Services) Document Code PD-FRM-002 Revision No. 4 Page 5 of 10 Effectivity Date January 8, 2021

		-			<u></u>
				OS: Windows XP / Vista / 7 / 8 / 8.1 / 10,	
				Windows Server 2003 / 2008 / 2012 /	
				2016, Mac OS X 10.6.8 or later	
31	ICT-176-	3	set	PRINTER ALL-IN-ONE CONTINUOUS INK	
	046			TANK SYSTEM, Technical Specifications	13,000.00
				Print Method on demand ink	
				jet(piezoelectric)Nozzle Configuration-	
				180 nozzles Black,59 nozzles each colour	
				Print direction - Bi-directional printing,	
				Uni-directional printing Max. Resolution -	
				5760 x 1440 dpi (w/ Variable-Sized	
				Droplet Technology) Print Speed - Black	
				33ppm, Colour 15ppmCopy Function	
				Scan Function Wi-Fi, Wi-Fi Direct and	
				Ethernet, Fax with ADF	
32	ITP-078-	1	set	PUNCH DOWN TOOL, With 110 and	
32	079		300	Krone blades Interchangeable and	2,500.00
	0,3			reversible blades Safe storage for spare	2,300.00
				bladeTwist and Lock style holder 1-year	
				limited warranty	
33	ICT-176-	1	unit	RACK CABINET, wall mounted, durable,	
	129	T	unit	clear swing door lockable front panel	8,800.00
	123			with key. Removable side back panels, 2	0,000.00
				blower fans, PDU, with cage nuts and	
				bolts, mounting bracket, outside	
				dimensions height: 330mm x width:	
				600mm x length: 450mm	
34	ICT-176-	15	unit	RASPBERRY PI 4 DATA CABLE, Micro	
•	055		ae	HDMI to Standard HDMI (1 meter)	316.00
35	ICT-176-	13	unit	ROUTER, WIFI, 2.4 to 5GHz, DIR-X1560	020.00
	059	13	anne	10012N, WHI, 2.1 to 3012, BIK X1300	5,000.00
36	ICT-176-	1	unit	ROUTER, wireless AC1200 dual band wifi	3,000.00
	112	_	anne	867mbps at 5GHz and 300mbps at 2.4ghz	5,000.00
	112			band	3,000.00
37	ICT-176-	1	unit	ROUTER, WIRELESS, CPU Frequency: 720	
	130	_	3	Mhz, RAM: 128MB, Storage size: 16MB,	14,999.00
				FLASH, MTBF: 200,000 hourse at 25C,	,
				Wireless capabilities: dual band (2.4Ghz	
				802a/n/ac) Ports: 5 x 10/100/1000MBps,	
				1 x SFP	
38	ICT-176-	2	unit	ROUTER, Wifi 6 Compatible	
	139				10,000.00
39	ICT-176-	20	unit	ROUTER, Wireless MU-MIMO Gigabit	
	146				2,500.00
40	ICT-176-	10	unit	SIGNAL PROCESSING TRAINER KIT, Digital	
	147				5,000.00
•					



MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002	
Procurement Division			
Request for Quotation (RFQ)	Revision No.	4	Page 6 of 10
(Goods and Services)	Effectivity Date	January	8, 2021

41	ICT-176- 143 ICT-176-	5	unit	SINGLE CORE 2 CORE FIBER OPTIC DROP CABLE FTTH INTERNET DROP CABLE, Specification: 2 Meters SC-SC Single core Fiber Optic Cable STREAM HD WEBCAM, Max Resolution:	300.00
72	165	۷	300	1080p/30 fps - 720p/ 60 fps, Camera mega pixel: 3, Focus type: Autofocus, Built-in mic: Stereo, Mic range: Up to 1m, Diagonal field of view (dFoV): 78°/90°, Tripod-ready universal mounting clip, includes: Tripod, camera, cable	7,800.00
43	ICT-176- 163	4	unit	SWITCH HUB, "16-Port 10/100Mbps Desktop Switch, HARDWARE FEATURES Interface 16 × 10/100Mbps RJ45 Ports Auto negotiation / Auto MDI/MDIX Fan Quantity Fanless Physical Security Lock No External Power Supply External Power Adapter 100VAC ~ 240VAC(Output: 9VDC / 0.6A)Mac Address Table 2KDimensions (W x D x H) 7.9 × 5.6 × 1.6 in.(200 × 142 × 40 mm)Max Power Consumption 2WMax Heat Dissipation 7.0 BTU/h SOFTWARE FEATURES Transfer Method Store and Forward Advanced Functions Green Technology, saving power up to 80€2.3x Flow Control, Back Pressure OTHERS Certification FCC, RoHs Package Contents 16-Port 10/10Mbps Desktop Switch TL-SF1016DPower Adapter User Guide Environment Operating Temperature: 0â"f~40â"f (32â,,%~104â,%);Storage Temperature: -40â,,f~70â,f (- 40â,,%~158â,%);Operating Humidity: 10%~90% non-condensing; Storage Humidity: 5%~90% non-condensing	10,000.00
44	ICT-176- 065	6	piece	UPS, with built-in AVR, 1000va, Desktop power surge protection, overload protection, computer generator for emergency power interruption, Enhance AVR PC protector, with Built in Battery providing stable and reliable power supply for PCs and some electronics	7,500.00
45	ICT-176- 131	5	unit	UPS, Power Capacity: 360 W / 650 VA, 4 battery backups with surge protection outlets for multidevice power protection Automatic Voltage Regulation (AVR),	3,850.00



MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002		
Procurement Division				
Request for Quotation (RFQ)	Revision No.	4	Page 7 of 10	
(Goods and Services)	Effectivity Date	January	8, 2021	

Circuit Breaker Reset, Automatic Diagnostic Testing, Generator Compatible 46 ICT-176- 5 box UTP CABLE, "(0.5mm Orange) CCA305M	
40 ICI-170- 3 DOX OTP CABLE, (U.SHIIII OTALISE) CCASUSIVI	
	00.00
PE CROSS Jacket: PVC Jacket Thickness:	00.00
0.2mmStretching Resistance: 0.92-	
0.95mmImpedance: (max)250NDC Resistance :100Ã,±15%Ω at	
1~100MHzWorking Capacitance: 10000MΩ.kmInner Conductor	
Thickness:0.5mm CCA Inside Material:	
CCA (Copper Clad Aluminum) Outside	
Material: PVC Jacke tHigh Quality	
47 ITP-078- 1 box UTP CAT5E, with anti-crosstalk divider,	
	00.00
per box	
48 ITP-078- 6 unit WI-FI ALL-IN-ONE INK TANK PRINTER	
	00.00
design High yield ink bottles Spill-free,	
error-free refilling Print, scan, copy, fax	
with ADF Wi-Fi, Wi-Fi Direct Borderless	
printing up to 4R Photo Default - 10 x 15	
cm / 4 x 6 ":Approx. 69 sec per photo	
(Border) / 90 sec per photo (Borderless)	
*1Draft, A4 (Black / Colour):Up to 33 ppm	
/ 15 ppm *1ISO 24734, A4 Simplex (Black	
/ Colour):Up to 10 ipm / 5.0 ipm *1First	
Page Out Time from Ready Mode (Black /	
Colour):Approx. 10 sec / 16 sec *1Copy	
Quality:Draft / Standard / Best Quality	
Maximum Copies from Standalone:99	
copies Reduction / Enlargement:25 –	
400 %, Auto Fit Function Maximum Copy	
Resolution:600 x 600 dpiMaximum Copy	
Size:LegalISO 29183, A4 Simplex Flatbed	
(Black / Colour):Up to 7.7 ipm / 3.8 ipm	
49 ITP-078- 3 unit WI-FI DUPLEX ALL-IN-ONE INK TANK	
	34.50
Print Method: On-demand inkjet	
(piezoelectric)Minimum Ink Droplet	
Volume:3 plPrinter Language:ESC / P-	
RPrint Direction: Bi-directional printing,	
Uni-directional printing Nozzle	
Configuration:180 nozzles Black, 59	
nozzles per colour (Cyan, Magenta,	
Yellow)Maximum Resolution:5760 x 1440	
dpi (with Variable-Sized Droplet	



MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002	
Procurement Division			
Request for Quotation (RFQ)	Revision No.	4	Page 8 of 10
(Goods and Services)	Effectivity Date	January 8, 2021	

				Technology)Automatic 2-sided Printing: Yes (up to A4) Photo Default - 10 x 15 cm / 4 x 6 " *2:Approx. 69 sec per photo (Border) *1Approx. 92 sec per photo (Borderless) *1Draft, A4 (Black / Colour):Up to 33 ppm / 15 ppm *1ISO 24734, A4 Simplex (Black / Colour):Up to 10.5 ipm / 5.0 ipm *1ISO 24734, A4 Duplex (Black / Colour):Up to 6.0 ipm / 4.0 ipm *1 Compact integrated tank design Print speeds up to 10.5ipm for black and 5.0ipm for colour Auto-duplex printing Wi-Fi & Wi-Fi Direct Borderless Printing up to A4 size Spill-free ink refilling Warranty of 2 years or 30,000 pages, whichever comes first		
50	ICT-176- 166	1	set	WIRELESS CLIP MICROPHONE SET, 2.4GHz, Line input jack on transmitter, Headphone jack on receiver for real-time monitoring, Range: Up to 60m (197ft), Powered by two AAA batteries, Includes: 2xTransmitter, 1xdual-channel Receiver, 2xOmnidirectional lavalier microphones, 1x zipper bag, 1x standard camera shoe mount and clips	7,150.00	
51	ITP-078- 098	9	unit	WRITING/DRAWING TABLET, 10x6 Inch 12 Express Keys 8192 Levels Battery-Free Stylus Nibs/Pen Clip Support PC/Laptop Specifications: Color: Black Technology: Battery-Free Electromagnetic Resonance Press Keys: 12 Express Press + 10 Customized Soft Keys Active Area: 10 * 6 Inch Pressure Level: 8192 Levels Resolution: 5080 LPI Report Rate: 233PPSAccuracy: ±0.5mmHeight Sensing: 10mmTilt Range: ± 60°Working Current: <60mAOperating System: Windows XP/Vista/7/8/10(32bit/64bit), Mac OS X10.7-10.13, Android 5.0 and above Working Temperature: -5-40â"fStorage Temperature: -20-60â"fItem Size: 36 * 24 * 1.1cm/ 14.2 * 9.4 * 0.4ozItem Weight: 670g/ 23.3oz	10,000.00	

TOTAL ESTIMATED BUDGET: PhP1,790,489.50



MARIANO MARCOS STATE UNIVERSITY Procurement Division

Request for Quotation (RFQ) (Goods and Services)

Document Code	PD-FRM-002	
Revision No.	4	Page 9 of 10
Effectivity Date	January 8, 2021	

REMARKS/NOTE:			
After having carefully read and accepted your Terms and Conditions, I/we submit ou quotation/s on the item/s at prices indicated above.			
Business Name:			
Business Address:			
Printed Name of the Owner:			
TIN:	Tel. No./Cellphone No./e-mail address		
PhilGEPS Registration Number:			
Business Permit:	Date		
Omnibus Sworn Statement:			
Annual Income Tax Return:	<u></u>		
Canvassed by:			



MARIANO MARCOS STATE UNIVERSITY	Document Code	PD-FRM-002	
Procurement Division			
Request for Quotation (RFQ)	Revision No.	4	Page 10 of 10
(Goods and Services)	Effectivity Date	January 8, 2021	

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Bidders may quote for any or all of the items.
- 3. Bidders shall submit a copy of the following documents along with the Quotation:
 - a. Mayor's/Business Permit
 - b. Notarized Omnibus Sworn Statement (if ABC is more than P 50,000.00)
 - c. Income/Business Tax Return (if ABC is more than P 500,000.00)
- 4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.
- 5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 6. Award of contract shall be made to the lowest quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 9. The University has the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
- 10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay.

Received _	
Received _	
Received _	