

REQUEST FOR QUOTATION (RFQ)

RECANVASS

Date: Sept. 16, 2022

PR No. 2022-04-120 (05206441)

Sir/Madam:

Please quote your lowest price on the item/s listed below, and submit your quotation duly signed by you or your duly authorized representative not later than **3 days** subject to the Terms and Conditions provided at the last page of this RFQ.

Delivery period must be at least within _______ days upon receipt of the Notice to Proceed or Purchase Order.

For any clarification, you may email us at bac@mmsu.edu.ph.



ITEM	QTY	Unit	ITEM DESCRIPTION	ABC/unit	UNIT PRICE
LSE-087-697	2	unit	ACETYLENE, 2.5L	2,500.00	
LSE-087-693	2	unit	BENCH-TOP PH / MV METER, "with holder arm, computer cable and software, Dimension: 8½"" x 7"" x 2½"" (216 x 178 x 57 mm) pH (Range: 0 ~ 14, Resolution: 0.01, Accuracy: ±0.02), Warranty: 5 years, Automatic or manual temperature compensation. Automatic or manual ranging. Automatic buffer recognition. Digital and analog outputs. Electrode status indication. Operates on AC 220 voltage (no batteries)"	19,000.00	
LSE-087-696	2	unit	BENZENE, 2.5L	2,500.00	
LSE-087-701	1	piece	CARBON TETRACHLORIDE, 2.5L	2,000.00	
LSE-087-229	1	bottle	CHLOROFORM, 2.5 L/bottle	8,000.00	
LSE-087-861	1	unit	COLD PACK FREEZING UNIT, Mobile, Dimensions (H x L x W): 33"" x 21"" x 26"", Capacity: Five cubic capacity,	72,000.00	



MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code	PD-FR	RM-002
Request for Quotation (RFQ)	Revision No.	5	Page 2 of 6
(Goods and Services)	Effectivity Date	April	20, 2022

			Stainless steel trays and shelves, With 12 standard size (11"" x 14"") cold packs, With user manual; Inclusive of delivery, installation, calibration, maintenance, training, and after sales services		
LSE-087-858	4	unit	DIGITAL TOPLOADING BALANCE, Size:127—106—18MMScale Material: Stainless Steel Body Material: ABS Measure: 0.5g-3kg- 0.1gError Allowed: ±0.5g	500.00	
LSE-087-726	. 1	piece	DISSOLVED OXYGEN ELECTRODE, 250ml	3,000.00	
LSE-087-618	1	unit	DISSOLVED OXYGEN METER, "Do: 0.0 to 199.9%; Resolution: 0.1%; Accuracy: ± 1.5% of f.s; Do ppm: 0.00 ~ 19.99ppm; Resolution: 0.1ppm; Accuracy: ± 1.5% of f.s; Temperature: 0 ~ 50; Resolution: 0.1 / 0.1; Accuracy: ± 0.3; Salinity compensation: 0.0 ~ 50.0 ppt; Resolution: 0.1ppt; Pressure compensation: 500 ~ 1499mmhg / 166.6 ~ 199.9kpa; Resolution: 1mmhg / 0.1kpa; Data storage: 99 sets of data with Instant record and Infrared transmission; 4-digit display, displaying% or ppm and temperature values; Operating environment 0-80% rh, 0-50; Dimensions 175x70x33mm Included: Az8403 meter *1pcs Probe 840p *1pcs Black retail box *1 O-ring *5 pcs Membrane *5 pcs Electrolyte*2pcs English manual*1pcs"	12,000.00	
LSE-087-735	5	piece	FLASK CLEANING BRUSH, .	450.00	*
LSE-087-707	1	pack	LITMUS PAPER, Neutral, pack of 100	900.00	
LSE- 087-691	1	unit	MANUAL CAPSULE FILLER, "with: A bed of about 100-200 holes, size 0 and 1 (optional)A loading tray with about 100-200 holes. A powder tray. A pin plate with about 100-200 pins A sealing plate with a rubber cap. A lever. A cam handle and sorting tray."	10,000.00	

Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.



MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code	PD-FR	M-002
Request for Quotation (RFQ)	Revision No.	5	Page 3 of 6
(Goods and Services)	Effectivity Date	April 2	20, 2022

LSE-087-627	1	set	MICROSCOPE CLEANING KIT, type A and B immersion oils; volume: 1/4 Oz (7ml); refractive index: ND=1.515; meets ISO-8036/1; Standardized at 23'C, task wipers: 280-count, 4.4" x 8.4" (11cm x 21cm), Optics cleaning liquid (glycol): 59.2ml, Brush length: 5-1/2" (13.5cm), Screen cleaning liquid: 100ml, Cleaning cloth: 5-7/8" x 6-3/4" (15 x 17cm)	2,500.00	
LSE-087-719	1	unit	OPEN PAN EVAPORIMETER, Bottom Plate Acrylic Plastic Sheet; Thermometer Clamp Copper; Platform Wooden; Inner Diameter 122 mm; Size 1.22 x 0.255 m (diameter x height); Accuracy of Reading 0.1 mm; Pan Evaporimeter Copper Sheet Of Thickness 1.0 +-0.1 Mm Point Gauge And Stilling Well Made From Brass	20,000.00	
LSE-087-725	1	piece	PH ELECTRODE, 250ml	3,000.00	
LSE-087-628	1	unit	PLANKTON NET, 20µ,30 cmx120cm, each net comes complete with heavy-duty nytex nyl-n net, a stainless ring and bridle, and PVC cod end assembly. The high efficiency cod end is a two-piece design with stainless steel fasteners. The lower collection cup is lined with Nitex mesh where the entire sample is concentrated and easily removed.	25,000.00	
LSE-087-875	1	unit	PLANKTON NET, 250 µm mesh size	8,500.00	
LSE-087-619	2	unit	PORTABLE PH METER, "TDS/PH/EC/TEMPERATURE METER 4 IN 1 MEASURING RANGE: PH:0.00- 14.00PH; TDS: 0-19990PPM; EC: 0- 19990œS/CM RESOLUTION: 0.01 PH; 1PPM; 1/CM; 0.1,f; 0.1°F ACCURACY: PH: +/-0.01 PH; TDS/EC: +/-2%; TEMP: 0.5,f BATTERIES: 3 * 1.5V LR44 BUTTON CELL TEMP.: 0.1- 60.0,f; 32.0-140.0°F CALIBRATION: PH: THREE POINTS AUTOMATIC CALIBRATION (6.86 & 4.00 & 9.18PH); TDS: 1413/CM;EC:	5,000.00	



MARIANO MARCOS STATE UNIVERSITY Procurement Division	Document Code	PD-FF	RM-002
Request for Quotation (RFQ)	Revision No.	5	Page 4 of 6
(Goods and Services)	Effectivity Date	April	20, 2022

			1413/CM AUTO SHUT OFF: 5 MINUTES"		is .
LSE-087-700	1	piece	POTASSIUM BISULFITE, 500g	2,000.00	
LSE-087-877	1	unit	REVERSE OSMOSIS WATER FILTER SYSTEM, Specifications: Stage 1 FA-Sediment (5μ), Stage 2: FA-GAC, Stage 3 FA-CTO, Stage 4 RO Membrane, Stage 5 Post, GAC Membrane Capacity: 80 gal/day, Maximum Pressure: 60 psi, Tank Dimension (H x W x L): 14.7³ x 11.0³ x 11.0, Tank Weight 3.5 kg, Unit Dimension (H x W x L) 19.0³ x 15.2³ x 9.7³, Unit Weight: 10.2 kg, Temperature: 10°C to 45°C	25,000.00	
LSE-087-702	1	piece	SODIUM HYPOBROMITE, 100g	1,500.00	
LSE-087-866	1	unit	SOIL PH METER, 4 in 1 soil pH Moisture Light soil meter Thermometer Temperature Tester	5,000.00	(*)
LSE-087-718	1	unit	THERMOHYGROMETER, Temperature and humidity recorder (with test report) Clock Function; Quartz clock, one rotation of drum; Power Supply; C-size batteries x 2; Mass (kg): 2.8; ASONE part number: 1-5065-01; Recording Time: 1 day (24 hours)-99 days (2376 hours); Included Accessories: Recording paper for 7 days (55 sheets), C-size batteries x 2; Dimensions (mm): 336—140—285; Measurement Method: Temperature / bimetal, humidity / hair (degreased); Range of Measurement: Temperature / -20-50 "f, Humidity / 0-100%; Minimum Scale: Recording paper: temperature / 1 "f, humidity / 1%; Measuring Accuracy: Temperature / ± 1.0 "f, Humidity / ± 3%	40,200.00	
LSE-087-863	1	unit	THERMOMETER, Battery: 1 x button cell (included),-Material: ABS(body), 304 stainless steel(probe),-Temperature range: -50°C to 300°C (-58°F to 572°F), -Resolution and accuracy: 0.1°C/0.2°F; +/-1°C(-2°F) at -20°C to 150°C(-4F to 392F),-Short	1,040.00	*

Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.



MARIANO MARCOS STATE UNIVERSITY Procurement Division

Revision No.

Document Code

PD-FRM-002

Request for Quotation (RFQ) (Goods and Services)

Effectivity Date

April 20, 2022

Page 5 of 6

			Probe length: 130mm, -Long probe length: 163mm; Wire length: 115cm, -Reaction time: 2-4 seconds		
LSE-087-864	2	unit	TREE DIAMETER TAPE, 2000 mm 79- inch PVC soft	750.00	TERMS
li I			WIRED DIGITAL THERMOMETER, Temperature Range: -50°C to +200°C	ip yom and	158 LS
	N 111016	Sherie	(-58°F to +392°F); Accuracy: ± 2°C (± 4°F); Resolution: 0.1°; Measurement	nortste	
LSE-087-717	2	unit	Rate: 1 time per second; Auto Power Off: 10 minutes; HI/Low	1,375.00	
	Į į	0,000,0	Temperature Alarm; Low Battery Indication; Alarm Temperature	2 mm/mmc	
	and has	alatran	Range: -40°C to +200°C (-40°F to +392°F); Shut down the alarm by pressing any button	actificate a	

	ribsort 1
thing shall be valid only if they are	7. Any totarhesauchs, erasurus or overvo
	epted your Terms and Conditions, I/we submit
quotation/s on the item/s at prices indicate	ed above.
Business Name:	
Business Name:Business Address:	Signature over Printed Name
Business Address:	Signature over Printed Name
Business Address: Printed Name of the Owner:	Signature over Printed Name
Business Address: Printed Name of the Owner: TIN:	Signature over Printed Name Tel. No./Cellphone No./e-mail address
Business Address: Printed Name of the Owner: TIN: PhilGEPS Registration Number:	Signature over Printed Name Tel. No./Cellphone No./e-mail address
Business Name: Business Address: Printed Name of the Owner: TIN: PhilGEPS Registration Number: Business Permit: Omnibus Sworn Statement:	Signature over Printed Name Tel. No./Cellphone No./e-mail address Date



MARIANO MARCOS STATE UNIVERSITY Procurement Division

Document Code
Revision No.

PD-FRM-002

Request for Quotation (RFQ) (Goods and Services)

Effectivity Date

April 20, 2022

Page 6 of 6

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Bidders may quote for any or all of the items.
- 3. Bidders shall submit a copy of the following documents along with the Quotation:
 - a. PhilGEPS Registration Number
 - b. Mayor's Permit / Business Permit
 - c. Omnibus Sworn Statement (for ABC's above P 500,000.00)
 - d. Income/Business Tax Return (for ABC's above P 500,000.00)
 - e. Certificate of Public Conveyance (CPC) for vehicle rentals and truckings
- Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.
- Quotations exceeding the Approved Budget for the Contract shall be rejected.
- Award of contract shall be made to the lowest quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- The University has the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
- 10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay.