	<b>MARIANO MARCOS STATE UNIVERSITY</b> <b>Procurement Division</b>	Document Code		PD-FRM-002	
		<b>Request for Quotation (RFQ)</b> <b>(Goods and Services)</b>	Revision No.		4
			Effectivity Date		January 8, 2021

### REQUEST FOR QUOTATION (RFQ)

Date: October 6, 2022


PR No. 2022-04-085(05206441)

Sir/Madam:

Please quote your lowest price on the item/s listed below, and submit your quotation duly signed by you or your duly authorized representative not later than **3 days** subject to the Terms and Conditions provided at the last page of this RFQ.


Delivery period must be at least within 45 **days** upon receipt of the Notice to Proceed or Purchase Order.

For any clarification, you may email us at bac@mmsu.edu.ph.


  
**NATHANIEL R. ALIBUYOG**  
 BAC CHAIR

ITEM	Code #	QTY	Unit	ITEM DESCRIPTION	ABC/unit	UNIT PRICE
3	LSE-087-1057	2	unit	<b>ANALYTICAL BALANCE MODEL ATY 224</b> , Analytical balance Model ATY 224, 220gx0.1With: 1-Golden Bat Cat No. 2990311 Stainless Steel Precision Metric Weights, 200g, Class 4 with statement of accuracy ATX/ATY Series TX/ATY series realized high specification and low cost with Unibloc ATX/ATY series achieve usability and high accuracy as analytical balance ATX/ATY series is new standard	50,000.00	
7	LSE-087-859	1	unit	<b>BIOFEEDBACK ELECTROMYOGRAM MACHINE - EMG CHANNELS</b> , 2, EMG sensibility: 0,28 $\hat{1}/4\hat{v}\hat{a}\hat{e}$ 300 mV, Pressure channels: 1, Pressure sensibility: 0-400 cm hPa, Current type: Symmetrical biphasic current, Phase duration: 10-500 $\hat{1}/4\hat{s}$ , Amplitude: 0 - 80 mA, With user manual; Inclusive of delivery, installation, calibration, maintenance, training, and after sales services	64,583.70	
15	LSE-087-249	15	box	<b>FACE MASK, respirator</b> , N95, 30pcs	1,700.00	
16	LSE-087-251	1	box	<b>FILTER PAPER</b> , ashless, 125 mm Dno.40, 100 pcs per box	1,000.00	
20	LSE-087-513	10	piece	<b>GRADUATED CYLINDER</b> , 100ml, borosilicate glass	200.00	
21	LSE-087-860	1	unit	<b>HYDROCOLLATOR (HOT MOIST PACK HEATING UNIT)</b> , Mobile, Stainless steel, Thermostatic internal temperature control, Secondary thermostat guards, Floor space required: 20 in. x 32 in., Additional components: 8 oversize (15" x 24") hot moist packs and 8 cervical hot moist packs (8.25" x 10"), With user manual; Inclusive of delivery, installation, calibration, maintenance, training, and after sales services	200,000.00	

*Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.*

	<b>MARIANO MARCOS STATE UNIVERSITY</b>		Document Code	PD-FRM-002	
	Procurement Division		Revision No.	4	Page 2 of 7
	<b>Request for Quotation (RFQ)</b> <b>(Goods and Services)</b>		Effectivity Date	January 8, 2021	

23	LSE-087-749	5	unit	<b>LCD DIGITAL THERMOMETER HYGROMETER TEMPERATURE HUMIDITY METER</b> , "Temperature Range: Indoor Sensor -10Â°Cto 50Â°C and Outdoor Sensor - 50Â°Cto 80Â°C; Humidity Range 20%-99%RH; Â°C / Â°F temperature switch display, comfort display. Indoor and outdoor maximum and minimum temperature memory function. Memorized MAX/MIN indoor temperature and humidity value automatically. With back stand and magnetic stick at back side, convenient to place. With a wired external sensor that can be strung to the outside of your house to sense external temperature as well as a built-in sensor to simultaneously measure the indoor temperature. Use battery: 1 * 1.5V (AG13) battery Quart's battery available in any Handyman or ACE hardware; Use battery: 1 * 1.5V (AG13) battery; Sensor cable length: Approx. 90cm / 35.4in"	500.00	
26	LSE-087-1060	1	unit	<b>MICROPLATE ABSORBANCE READER</b> , General specifications: Detection Mode: Absorbance, Light source: LED, sel-calibrating, Photodetector: Silicon photodiodes, Plate type: 96-well microplates (including strip-well microplates), Measurement modes: Endpoint, kinetic, and multi-label measurements, Measurement channels: 8, Reference channel: 1, Measurement range: 0 - 4OD, Resolution: 0.0001 OP, Wavelength range: 400 - 750 nm, Wavelength selection: Up to eight filters on wheel: Standard filters 405, 450, 492, and 620 nm Additional filters 415, 540, 570 and 650 nm, Shaking: Linear shaking in four different modes, Computer interface: USB, Dimensions: Height: 13.5 cm (5.28 in), Width: 34.7 cm (13.66 in), Depth: 189 cm (7.44 cm), Weight < 3kg, Power supply: External power supply: 100 - 240 VAC, 50/60 Hz, max. 1.2 A (auto sensing), Includes one (1) laptop compatible with instrument software.	400,000.00	
31	LSE-087-457	1	bottle	<b>NUTRIENT BROTH</b> , for general cultivation of less fastidious microorganisms, 100 grams per bottle	1,500.00	
34	LSE-087-750	2	unit	<b>PH PEN TESTER KIT</b> , "with 0.01 pH Accuracy, 3-Point Auto. Calibration; 0. 01 pH accuracy; Automatic 3-point calibration; 0-60ËšC Automatic Temp. Compensation Slim replaceable probe, suitable for test tubes"	1,775.00	
35	LSE-087-1058	30	piece	<b>PLASTIC SPRAY BOTTLE</b> , transparent spray, 300-500ml cap.	55.00	
37	LSE-087-746	2	unit	<b>QUADRATS</b> , for sampling plants, made of powder-coated wire, 25 square	5,839.25	
39	LSE-087-340	1	unit	<b>RUBBER TUBING</b> , High quality natural rubber latex tubing recommended for all kinds of glass connections. Talc-free, soft and pliable. Autoclavable. Use at temperatures from - 18Â° to 70Â°C (0Â° to 158Â°F), size 1/4 ID x 1/16 wall, 50 ft	4,500.00	
40	LSE-087-163	1	bottle	<b>SODIUM TETRABORATE</b> , AR grade, 500g/bottle,	951.50	
44	LSE-087-1009	504	piece	<b>SURGICAL BRUSH</b> , Plain white, without handle (4x2)	40.00	
45	LSE-087-178	40	bx	<b>SURGICAL GLOVES</b> , 7.0, 100pcs/box	704.00	

	<b>MARIANO MARCOS STATE UNIVERSITY</b> <b>Procurement Division</b>		Document Code	PD-FRM-002	
	<b>Request for Quotation (RFQ)</b> <b>(Goods and Services)</b>		Revision No.	4	Page 3 of 7
			Effectivity Date	January 8, 2021	

46	LSE-087-347	60	bx	<b>SURGICAL GLOVES</b> , sterile, powder free, 50's per box, size: 7.5	750.00	
47	LSE-087-349	20	bx	<b>SURGICAL GLOVES</b> , sterile, powder free, 50's per box, size: 6.5	750.00	
50	LSE-087-745	4	pc	<b>TEST TUBE RACK</b> , for 40 tubes, plastic	1,000.00	
52	LSE-087-470	2	pc	<b>WOODEN HERBARIUM PRESS FRAME</b> , 12 x 18 inches with 2 Buckle Straps	7,500.00	
				<b>Medical Supplies and Laboratory Instrument</b>		
56	MSL-100-037	2	piece	<b>AUTOCLAVE TAPE</b> , 1 • size, white	198.00	
58	MSL-100-069	10	unit	<b>BP APPARATUS, Manual</b> , 0- 300mm Hg Aneroid Effortless Study Gauge Nylon Velcro sealing cuff with artery label and Gauge Holder Cuff Size Latitude from 25.4 c.m to 40.6 c.m (standard grownup) Stainless Steel Twin Head Stethoscope with bell and diaphragm	700.00	
59	MSL-100-075	2	unit	<b>CPR MANNEQUIN</b> , Adult- first aid training dummy and accessories Realistic to the eye and the touch, unlike any other on the market. Lightweight, less than half the weight of the nearest competitor. Prestan Professional Manikins may be equipped with a revolutionary CPR Rate Monitor	12,000.00	
60	MSL-100-070	1	unit	<b>DEFIBRILLATOR</b> , DEFIBRILLATOR(1) Defibrillator type: Manual, synchronized, Asynchronized(2) Energy accuracy:<+1%(3) Energy selection:0.3.5.7.10.20.30.50.100.200.300.360joules(nominal at a resistance of 50)(4) Charging time:Maximum 10 seconds to 360 Joules(5) Standard adult/pediatric paddles:reusable external adult paddles (pediatric paddles integrated)Power requirements(a) AC Power supply :100v-240v,50hz/60hz(b) Vehicle voltage(option):dc 12vInternal battery backup(1) battery type:rechargeable lead-acid battery(12v 2.0ah *2)(2)Charing time:time-minimum of 4 hours for full charging(3)battery charging:during ac power supply operation of the device(4)charing/low battery indication:red led(5)battery capacity:100% of the battery will provide 120-min monitoring;and 35 discharges at 360 joulesHD-8000D Defi-monitorHD-9000D Defi-MonitorDisplayLcd dimensions 7-inchType:high resolution true-color graphicResolution:480*234ECGECG lead: I.II. III AVR AVL AVF V1-V6S-T segment analysis: -2.0-2.0mvArrhythmia analysis: yesProtection: With stand 4000VAC/50HZ voltage insulation and work against electrosurgical knife and defibrillationRespirationMeasurement method.:Thoracic impedanceStandard parameter &configurationECG/ RESP/DEFIBRILLATOROptional parameterRecorder Liion battery (11. 1V 4AH X2)	250,000.00	
61	MSL-100-076	5	unit	<b>DUMMY ARM</b> , IV practice arm model, PVC material	4,000.00	
62	MSL-100-074	5	unit	<b>ECG MACHINE</b> , Features? 1.77" color TFT-LCD. BT transmission. Quickly to check ECG once finger touching,	20,000.00	



<b>MARIANO MARCOS STATE UNIVERSITY</b> <b>Procurement Division</b>	Document Code		PD-FRM-002	
	<b>Request for Quotation (RFQ)</b> <b>(Goods and Services)</b>	Revision No.	4	Page 4 of 7
		Effectivity Date	January 8, 2021	

				<p>convenient to operate. Historical data can be printed at any time, convenient to diagnose. Accurate conclusion can be obtained immediately after measuring. Built-in rechargeable lithium battery can continuously record for up to 500 cases in full charging. ECG data can be saved to CLOUD Platform permanently, convenient to check and analyze.</p> <p>Performance: Calibration voltage: 1mV<math>\pm</math>5% Standard sensitivity?10mm/mV<math>\pm</math>5% Amplitude frequency characteristics standard: 10Hz, 1Hz?20Hz?(+0.4dB?-3dB) Noise level??30?V CMRR??60dB Scanning speed?25mm/s<math>\pm</math>5% Sampling rate?250 dots/s HR measurement range?30bpm?300bpm?error?<math>\pm</math>1bpm or 1% Type of protection against electric shock: Internal power device Degree of protection against electric shock: Type BF applied part Degree of waterproof: IP220 Specifications: Material: ABS Color: White Package weight: 90g Package size: 11.5*7*4cm/4.52*2.75*1.57inch Note: Item color may show sight aberration due to different shooting light and monitor display. Package List: 1* EKG Machine 1*Power Cord 1*User Manual</p>		
64	MSL-100-038	1	unit	<p><b>HUMAN FULL BODY MANNEQUIN</b>, Size: Life size. Female only. The model can be used for the following trainings: (1) Common intramuscular/intravenous injection sites for injection (2) Simulating nasogastric tube insertion (3) Rectal tube insertion (4) Cardiac compression (5) Mouth-to-mouth resuscitation (6) Urinary catheterization (7) Personal hygiene, cleaning</p>	50,000.00	
65	MSL-100-043	2	unit	<p><b>INFANT MANNEQUIN</b>, professional infant CPR-AED Training mannequin (single) with CPR monitor with carrying case</p>	20,000.00	
66	MSL-100-040	10	bx	<p><b>INSULIN SYRINGE</b>, BD ULTRA-FINE II Engineered with optimal point geometry for maximum comfort and reliability Coated with special Micro-Bonded lubrication for a more comfortable injection Manufactured with a special surgical grade of stainless steel Subject to 100% needle point inspection to assure consistent high quality Non-toxic, non-pyrogenic and DO NOT CONTAIN LATEX</p>	1,240.00	
67	MSL-100-034	2	piece	<p><b>LANCET</b>, G23, 200s/box</p>	145.00	
69	MSL-100-041	2	set	<p><b>MAJOR SURGERY SET</b>, reusable, non-sterile, latex free Metal Ruler 6" Scalpel Handle No. 3 Scalpel Handle No. 4 Yankauer Suct Tube Stainless Weinstein Sterilizing Rack 11 1/4" Mayo Dissecting Scissors Str 5 1/2" Mayo Dissecting Scissors Cvd 6 3/4" Hartmann Mosquito Fcp Str Del Serr 3 1/2" Hartmann Mosquito Fcp Cvd Del Serr 3 1/2" Halsted Mosquito Forceps Str 5" Halsted Mosquito Forceps Cvd 5" Rochester-Pean Forceps Cvd 6 1/4" Rochester-Pean Forceps Cvd 8" Rochester-Pean Forceps Str 6 1/4" Rochester-Pean Forceps Str 8" 3 Rochester-Ochsner Forceps Cvd 6 1/4" Rochester-Ochsner Forceps Str 6 1/4" Rochester-Ochsner Forceps Str 8" Crile Forceps Str 5 1/2" Crile Forceps Cvd 5 1/2" Dressing Forceps 5 1/2" Dressing Forceps 8" Tissue Forceps 1 x 2 Teeth 5 1/2" Tissue Forceps 1 x 2</p>	10,000.00	


*Disclaimer: Reproduction of this form is allowed subject to compliance to the Documented Information Procedure established by MMSU.*



<b>MARIANO MARCOS STATE UNIVERSITY</b> <b>Procurement Division</b>	Document Code		PD-FRM-002
	Revision No.		4
	Effectivity Date		January 8, 2021

**Request for Quotation (RFQ)**  
**(Goods and Services)**

				Teeth 8"Russian Tissue Forceps 8"TC Mayo-Hegar NH Serr 6"TC Mayo-Hegar NH Serr 7"Sklarlite Operating Scissors S/B Str 5 1/2"Sklarlite Operating Scissors S/B Cvd 5 1/2"Sklarlite Stevens Tenotomy Scissors Cvd 4 1/4"Probe Double End 6"Probe w/ Eye 6"Babcock Intestinal Forceps 6 1/4"Babcock Intestinal Forceps 8"Allis Tissue Forceps 4 x 5 Teeth 6"Allis Tissue Forceps 5 x 6 Teeth 7 1/2"Adson Brown Tissue Forceps 4 3/4"Adson Forceps Serr 4 3/4"Backhaus Towel Clamp 5 1/4"Metzenbaum Scissors Cvd 9"US Army Retractor (Set of 2) 8 1/2"Richardson Retractor w/ Sklar-Grip Handle Medium Richardson Retractor w/ Sklar-Grip Handle Large Richardson-Eastman Retractor (Set of 2)Deaver Retractor No. 2 1" x 13"Deaver Retractor No. 0 1" x 9"Deaver Retractor No. 3 1 1/2" x 12"Deaver Retractor No. 4 2" x 12"Zalkind Ribbon Retractor Malleable 3/4" x 7"Zalkind Ribbon Retractor Malleable 1" x 13"Zalkind Ribbon Retractor Malleable 1 1/2" x 13"Senn Retractor Double End Sharp 6 1/4"Senn Retractor Double End Blunt 6 1/4"Balfour Abdominal Retractor 7"Schnidt Hemostat Half Cvd Jaws 7 1/2"Metzenbaum Scissors Cvd 7"Foerster Sponge Forceps Str Serr 9 1/2"Foerster Sponge Forceps Cvd Serr 9 1/2"		
71	MSL-100-073	4	unit	<b>OPHTHALMOSCOPE</b> , Otoscope/ophthalmoscope, 162 x 45 x 24mm, chrome plated handle	4,000.00	
72	MSL-100-077	5	unit	<b>PORTABLE INFUSION PUMP</b> , Standard IV Fluid control	15,000.00	
74	MSL-100-039	2	unit	<b>RESUSCI INFANT AIRWAYS SET CPR REBORN</b> , Material: PVC Length: 60cmColor: may vary Features:- The model teaches cardiopulmonary resuscitation (CPR) of infants.- Its oral and nasal passages allow realistic nose-pinch, head-tilt, chin-lift, and jaw-thrust required for mouth-to-nose ventilation.- It is ideal for teaching and studying by doctors or other medical professionals. Package Included:1 X Baby Model1 X Clothes1 X Practice Object1 X Manual	6,000.00	
75	MSL-100-035	10	unit	<b>SHARP CONTAINER, 1L</b> , clinical waste container piercing needles, sharps, medicinal recycling bin	200.00	
76	MSL-100-072	2	unit	<b>SPINAL BOARD</b> , Rescue spine board with head immobilizer and strap	4,500.00	
77	MSL-100-064	2	unit	<b>THERMAL GUN SCANNER</b> , ±0.5°F (0.3°C). 1 second, the measurement has been made and will display on the LCD screen. Lifetime and reliability tests have shown our device to last a minimum of 1000 hours of usage. Features include a 30 seconds auto-power off function to save power, memory storage function to save up to 32 configurations for quick access, a switch between measuring object or body, the ability to hardware self-test and toggle the sound.	500.00	
				<b>Medical and Dental Supplies and Equipment</b>		
78	MDE-099-055	10	bx	<b>COLOSTOMY BAG APPLIANCE</b> , 10s/box; <b>SKIN FRIENDLY</b> - The skin barrier has a perforated design and is air-permeable with its advanced hydrocolloid coating <b>ODOR RESISTANT</b> - Made with effective odor resistant film and comes with a carbon filter to fight odor <b>CONVENIENT</b> - Easy to peel off and replace; Easy to empty and rinse <b>INTIMATE NON-WOVEN COVER</b> - There is an opening on the non-	600.00	

	<b>MARIANO MARCOS STATE UNIVERSITY</b> <b>Procurement Division</b>	Document Code		PD-FRM-002	
		<b>Request for Quotation (RFQ)</b> <b>(Goods and Services)</b>	Revision No.	4	Page 6 of 7
			Effectivity Date	January 8, 2021	

				woven backing fabric allowing you to check for any unusual excretion CUT TO FIT - from 1 to 2 1/2 inches		
80	MDE-099-062	10	pack	<b>GLUCOMETER STRIP</b> , compatible to GE & Precicheck glucometer 50s per pack	1,500.00	
83	MDE-099-069	2	box	<b>IV CANNULA, G 20</b> , 100's/box	1,600.00	
84	MDE-099-070	2	box	<b>IV CANNULA, G 24</b> , 100's/box	1,600.00	
85	MDE-099-071	20	bottle	<b>IV FLUID</b> , 5% Dextrose in Water, 1 Liter	110.00	
87	MDE-099-103	6	unit	<b>MILITARY EMERGENCY FOLDING STRETCHER</b> , Double folded bed Oxford leather Foldable, High storage ALUMINUM ALLOY Color " Army Green	2,500.00	
88	MDE-099-088	4	bottle	<b>POVIDONE IODINE, CLEANSER 1L</b>	700.00	
89	MDE-099-040	4	box	<b>SURGICAL GLOVES, (Sterile, by pairs/indv.pk) size 7 50's</b>	680.00	
90	MDE-099-041	20	box	<b>SURGICAL GLOVES, (Sterile, by pairs/indv. Pk) size 8 50's</b>	680.00	
91	MDE-099-042	2	box	<b>SURGICAL GLOVES, (non-sterile) size 7 100's</b>	400.00	

**TOTAL ESTIMATED BUDGET:** PhP1,650,339.70


**REMARKS/NOTE:**

After having carefully read and accepted your Terms and Conditions, I/we submit our quotation/s on the item/s at prices indicated above.

Business Name: \_\_\_\_\_  
 Business Address: \_\_\_\_\_  
 Printed Name of the Owner: \_\_\_\_\_  
 TIN: \_\_\_\_\_  
 PhilGEPS Registration Number: \_\_\_\_\_  
 Business Permit: \_\_\_\_\_  
 Omnibus Sworn Statement: \_\_\_\_\_  
 Annual Income Tax Return: \_\_\_\_\_

\_\_\_\_\_  
 Signature over Printed Name  
 \_\_\_\_\_  
 Tel. No./Cellphone No./e-mail address  
 \_\_\_\_\_  
 Date

Canvassed by: \_\_\_\_\_

	<b>MARIANO MARCOS STATE UNIVERSITY</b> <b>Procurement Division</b>	Document Code	PD-FRM-002	
		Request for Quotation (RFQ) (Goods and Services)	Revision No.	4
			Effectivity Date	January 8, 2021

**TERMS AND CONDITIONS:**

1. Bidders shall provide correct and accurate information required in this form.
2. Bidders may quote for any or all of the items.
3. Bidders shall submit a copy of the following documents along with the Quotation:
  - a. Mayor's/Business Permit
  - b. Notarized Omnibus Sworn Statement (if ABC is more than P 50,000.00)
  - c. Income/Business Tax Return (if ABC is more than P 500,000.00)
4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
6. Award of contract shall be made to the lowest quotation which complies with the minimum technical specifications and other terms and conditions stated herein.
7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
9. The University has the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay.

Received \_\_\_\_\_  
 Received \_\_\_\_\_  
 Received \_\_\_\_\_